


RACKING SERIES

No. 1 **MR - 1210T Three Runner**



Size: 1200 * 1000 * 195 mm


Entry: Four-way

Loading Capacity

Dynamic: 2 T

Static: 8 T

No. 2 **MR - 1210TB Three Runner**



Size: 1200 * 1000 * 175 mm


Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 3 **MR - 1210 Three Runner**
(Steel reinforced)



Size: 1200 * 1000 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 4 **MR - 1210 Flat Three Runner**
(Steel reinforced)



Size: 1200 * 1000 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 5 **MR - 1210 Three Runner**
(Steel reinforced)



Size: 1200 * 1000 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 6 **MR - 1210 Flat Three Runner**
(Steel reinforced)



Size: 1200 * 1000 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 7 **MR - 1210 Flat Three Runner**



Size: 1200 * 1000 * 165 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 8 **MR - 1210 Flat Three Runner**



Size: 1200 * 1000 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 9 **MR - 1210 Flat Three Runner**
(Steel reinforced)



Size: 1200 * 1000 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 2 T

Static: 6 T

No. 10 **MR - 1210 Flat Three Runner**
(Steel reinforced)



Size: 1200 * 1000 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 5 T

No. 11 **MR - 1210D Three Runner**
(Steel reinforced)



Size: 1200 * 1000 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 12 **MR - 1210D Three Runner**
(Steel reinforced)



Size: 1200 * 1000 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

RACKING SERIES

No. 37

MR - 1210D Three Runner Flat
(Steel reinforced)

Size: 1200 * 1000 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 50

MR - 1210 Reversible

Size: 1200 * 1000 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 51

MR - 1210 Flat Reversible

Size: 1200 * 1000 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 52

MR - 1210D Reversible
(Steel reinforced)

Size: 1200 * 1000 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 53

MR - 1210 Flat Reversible
(Steel reinforced)

Size: 1200 * 1000 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 54

MR - 1210E Reversible
(Steel reinforced)

Size: 1200 * 1000 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 55

MR - 1210D Reversible
(Steel reinforced)

Size: 1200 * 1000 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 56

MR - 1210D Flat Reversible
(Steel reinforced)

Size: 1200 * 1000 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 57

MR - 1210D Reversible
(Steel reinforced)

Size: 1200 * 1000 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 58

MR - 1210 Reversible

Size: 1200 * 1000 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 59

MR - 1210E Reversible

Size: 1200 * 1000 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 95

MR - 1210 Double Deck
(Steel reinforced)

Size: 1200 * 1000 * 150 mm

Entry: Four-way


Loading Capacity

Dynamic: 1.5 T

Static: 6 T


RACKING SERIES

No. 96 **MR - 1210 Flat Double Deck**
(Steel reinforced)




Size: 1200 * 1000 * 150 mm **Loading Capacity** Dynamic: 1.5 T Static: 6 T
Entry: Four-way

No. 97 **MR - 1210E Double Deck**
(Steel reinforced)




Size: 1200 * 1000 * 150 mm **Loading Capacity** Dynamic: 1.5 T Static: 5 T
Entry: Four-way

No. 98 **MR - 1210D Double Deck**
(Steel reinforced)




Size: 1200 * 1000 * 150 mm **Loading Capacity** Dynamic: 1.5 T Static: 6 T
Entry: Four-way

No. 99 **MR - 1210D Flat Double Deck**
(Steel reinforced)




Size: 1200 * 1000 * 150 mm **Loading Capacity** Dynamic: 1.5 T Static: 6 T
Entry: Four-way

No. 100 **MR - 1210 Flat Double Deck**




Size: 1200 * 1000 * 175 mm **Loading Capacity** Dynamic: 1.5 T Static: 6 T
Entry: Four-way

No. 101 **MR - 1210D Double Deck**
(Steel reinforced)




Size: 1200 * 1000 * 150 mm **Loading Capacity** Dynamic: 1 T Static: 4 T
Entry: Four-way

No. 102 **MR - 1210D Double Deck**
(Steel reinforced)




Size: 1200 * 1000 * 150 mm **Loading Capacity** Dynamic: 1.5 T Static: 6 T
Entry: Four-way

No. 168 **MR - 1111D Three Runner**
(Steel reinforced)




Size: 1100 * 1100 * 150 mm **Loading Capacity** Dynamic: 1 T Static: 4 T
Entry: Four-way

No. 169 **MR - 1111D Three Runner**
(Steel reinforced)




Size: 1100 * 1100 * 150 mm **Loading Capacity** Dynamic: 1.5 T Static: 6 T
Entry: Four-way

No. 170 **MR - 1111 Three Runner**
(Steel reinforced)




Size: 1100 * 1100 * 150 mm **Loading Capacity** Dynamic: 1 T Static: 4 T
Entry: Four-way

No. 171 **MR - 1111 Three Runner**
(Steel reinforced)




Size: 1100 * 1100 * 150 mm **Loading Capacity** Dynamic: 1.5 T Static: 6 T
Entry: Four-way


No. 172 **MR - 1111 Flat Three Runner**
(Steel reinforced)





Size: 1100 * 1100 * 150 mm **Loading Capacity** Dynamic: 1 T Static: 4 T
Entry: Four-way


RACKING SERIES


No. 173 MR - 1111 Flat Three Runner (Steel reinforced)		
		
Size: 1100 * 1100 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T


No. 174 MR - 1111B Three Runner		
		
Size: 1100 * 1100 * 170 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T


No. 175 MR - 1111 Flat Three Runner		
		
Size: 1100 * 1100 * 170 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T


No. 176 MR - 1111 Flat Three Runner (Steel reinforced)		
		
Size: 1100 * 1100 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T


No. 210 MR - 1111D Reversible (Steel reinforced)		
		
Size: 1100 * 1100 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T


No. 211 MR - 1111B Reversible		
		
Size: 1100 * 1100 * 150 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T


No. 212 MR - 1111D Reversible (Steel reinforced)		
		
Size: 1100 * 1100 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 213 MR - 1111D Flat Reversible (Steel reinforced)		
		
Size: 1100 * 1100 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 214 MR - 1111 Reversible		
		
Size: 1100 * 1100 * 150 mm	Loading Capacity	Dynamic: 2 T
Entry: Four-way		Static: 6 T


No. 215 MR - 1111 Reversible		
		
Size: 1100 * 1100 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 5 T

No. 216 MR - 1111 Reversible		
		
Size: 1100 * 1100 * 150 mm	Loading Capacity	Dynamic: 2 T
Entry: Four-way		Static: 6 T

No. 217 MR - 1111 Flat Reversible		
		
Size: 1100 * 1100 * 150 mm	Loading Capacity	Dynamic: 2 T
Entry: Four-way		Static: 6 T

RACKING SERIES

No. 218 **MR - 1111 Reversible**



Size: 1100 * 1100 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 2 T

Static: 6 T

No. 219 **MR - 1111D Reversible**



Size: 1100 * 1100 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 253 **MR - 1111D Double Deck**



Size: 1100 * 1100 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 254 **MR - 1111D Flat Double Deck**
(Steel reinforced)



Size: 1100 * 1100 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 255 **MR - 1111D Double Deck**
(Steel reinforced)



Size: 1100 * 1100 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 256 **MR - 1111B Flat Double Deck**



Size: 1100 * 1100 * 170 mm


Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 5 T

No. 320 **MR - 1111D Three Runner**
(Steel reinforced)



Size: 1100 * 1000 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 5 T

No. 337 **MR - 1212 Three Runner**
(Steel reinforced)



Size: 1200 * 1200 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 338 **MR - 1212 Flat Three Runner**
(Steel reinforced)



Size: 1200 * 1200 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 339 **MR - 1212D Three Runner**
(Steel reinforced)



Size: 1200 * 1200 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 340 **MR - 1212D Three Runner**
(Steel reinforced)



Size: 1200 * 1200 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 341 **MR - 1212 Flat Three Runner**
(Steel reinforced)



Size: 1200 * 1200 * 150 mm

Entry: Four-way


Loading Capacity

Dynamic: 1.5 T

Static: 4x T


RACKING SERIES

No. 373 **MR - 1212 Reversible**
(Steel reinforced)




Size: 1200 * 1200 * 150 mm **Loading Capacity** Dynamic: 1.5 T Static: 6 T
Entry: Four-way

No. 374 **MR - 1212 Flat Reversible**
(Steel reinforced)




Size: 1200 * 1200 * 150 mm **Loading Capacity** Dynamic: 1.5 T Static: 6 T
Entry: Four-way

No. 375 **MR - 1212D Reversible**




Size: 1200 * 1200 * 150 mm **Loading Capacity** Dynamic: 1.5 T Static: 6 T
Entry: Four-way

No. 376 **MR - 1212D Flat Reversible**
(Steel reinforced)




Size: 1200 * 1200 * 150 mm **Loading Capacity** Dynamic: 1.5 T Static: 6 T
Entry: Four-way

No. 377 **MR - 1212D Reversible**
(Steel reinforced)




Size: 1200 * 1200 * 150 mm **Loading Capacity** Dynamic: 1.5 T Static: 6 T
Entry: Four-way

No. 378 **MR - 1212 Reversible**




Size: 1200 * 1200 * 150 mm **Loading Capacity** Dynamic: 1.5 T Static: 6 T
Entry: Four-way

No. 410 **MR - 1212D Double Deck**
(Steel reinforced)




Size: 1200 * 1200 * 150 mm **Loading Capacity** Dynamic: 1 T Static: 4 T
Entry: Four-way

No. 411 **MR - 1212D Double Deck**
(Steel reinforced)




Size: 1200 * 1200 * 150 mm **Loading Capacity** Dynamic: 1.5 T Static: 6 T
Entry: Four-way

No. 412 **MR - 1212 Double Deck**




Size: 1200 * 1200 * 160 mm **Loading Capacity** Dynamic: 1.5 T Static: 5 T
Entry: Four-way

No. 413 **MR - 1212D Double Deck**
(Steel reinforced)




Size: 1200 * 1200 * 150 mm **Loading Capacity** Dynamic: 1.5 T Static: 6 T
Entry: Four-way

No. 414 **MR - 1212D Flat Double Deck**
(Steel reinforced)



Size: 1200 * 1200 * 150 mm **Loading Capacity** Dynamic: 1.5 T Static: 6 T
Entry: Four-way


No. 465 **MR - 12510D Three Runner**
(Steel reinforced)



Size: 1250 * 1000 * 150 mm **Loading Capacity** Dynamic: 1 T Static: 4 T
Entry: Four-way


RACKING SERIES

No. 466 **MR - 12510D Three Runner**
(Steel reinforced)




Size: 1250 * 1000 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1.5 T
Static: 6 T

No. 481 **MR - 1211D Three Runner**
(Steel reinforced)




Size: 1200 * 1100 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1 T
Static: 4 T

No. 482 **MR - 1211D Three Runner**
(Steel reinforced)




Size: 1200 * 1100 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1.5 T
Static: 6 T

No. 500 **MR - 1211 Flat Reversible**
(Steel reinforced)




Size: 1200 * 1100 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1.5 T
Static: 6 T

No. 501 **MR - 1211 Reversible**




Size: 1200 * 1100 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1.5 T
Static: 6 T

No. 517 **MR - 1211D Double Deck**
(Steel reinforced)




Size: 1200 * 1100 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1 T
Static: 4 T

No. 518 **MR - 1211D Double Deck**
(Steel reinforced)




Size: 1200 * 1100 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1.5 T
Static: 6 T

No. 538 **MR - 1311D Three Runner**
(Steel reinforced)




Size: 1300 * 1100 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1 T
Static: 4 T

No. 539 **MR - 1311D Three Runner**
(Steel reinforced)




Size: 1300 * 1100 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1.5 T
Static: 6 T

No. 540 **MR - 1311 Three Runner**
(Steel reinforced)




Size: 1300 * 1100 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1 T
Static: 4 T

No. 541 **MR - 1311 Three Runner**
(Steel reinforced)



Size: 1300 * 1100 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1.5 T
Static: 6 T


No. 542 **MR - 1311 Flat Three Runner**
(Steel reinforced)



Size: 1300 * 1100 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1 T
Static: 4 T


RACKING SERIES

No. 543 **MR - 1311 Flat Three Runner**
(Steel reinforced)




Size: 1300 * 1100 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 544 **MR - 1311B Three Runner**




Size: 1300 * 1100 * 170 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 573 **MR - 1311D Reversible**
(Steel reinforced)




Size: 1300 * 1100 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 574 **MR - 1311D Reversible**
(Steel reinforced)




Size: 1300 * 1100 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 575 **MR - 1311D Flat Reversible**
(Steel reinforced)




Size: 1300 * 1100 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 576 **MR - 1311 Reversible**




Size: 1300 * 1100 * 150 mm	Loading Capacity	Dynamic: 2 T
Entry: Four-way		Static: 6 T

No. 577 **MR - 1311 Reversible**




Size: 1300 * 1100 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 5 T

No. 578 **MR - 1311B Reversible**




Size: 1300 * 1100 * 150 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 579 **MR - 1311 Reversible**




Size: 1300 * 1100 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 580 **MR - 1311 Reversible**




Size: 1300 * 1100 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 612 **MR - 1311D Double Deck**
(Steel reinforced)



Size: 1300 * 1100 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T


No. 613 **MR - 1311D Double Deck**
(Steel reinforced)



Size: 1300 * 1100 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T


RACKING SERIES

No. 614 **MR - 1311D Flat Double Deck**
(Steel reinforced)




Size: 1300 * 1100 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 665 **MR - 1312D Three Runner**
(Steel reinforced)




Size: 1300 * 1200 * 160 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 677 **MR - 1310 Flat Reversible**




Size: 1300 * 1000 * 140 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 683 **MR - 1313 Flat Reversible**




Size: 1300 * 1300 * 150 mm	Loading Capacity	Dynamic: 2 T
Entry: Four-way		Static: 8 T

No. 684 **MR - 1313 Flat Reversible**




Size: 1300 * 1300 * 150 mm	Loading Capacity	Dynamic: 2 T
Entry: Four-way		Static: 8 T

No. 690 **MR - 1208 Flat Three Runner**




Size: 1200 * 800 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 691 **MR - 1208 Flat Three Runner**
(Steel reinforced)




Size: 1200 * 800 * 150 mm	Loading Capacity	Dynamic: 2 T
Entry: Four-way		Static: 6 T

No. 692 **MR - 1208T Three Runner**




Size: 1200 * 800 * 195 mm	Loading Capacity	Dynamic: 2 T
Entry: Four-way		Static: 6 T

No. 693 **MR - 1208TB Three Runner**




Size: 1200 * 800 * 175 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 5 T

No. 694 **MR - 1208 Three Runner**
(Steel reinforced)




Size: 1200 * 800 * 140 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 695 **MR - 1208 Flat Three Runner**
(Steel reinforced)



Size: 1200 * 800 * 140 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T


No. 696 **MR - 1208 Flat Three Runner**



Size: 1200 * 800 * 165 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T


RACKING SERIES

No. 697 **MR - 1208D Three Runner**
(Steel reinforced)




Size: 1200 * 800 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1 T
Static: 4 T

No. 698 **MR - 1208D Three Runner**
(Steel reinforced)



Size: 1200 * 800 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1.5 T
Static: 6 T

No. 699 **MR - 1208D Three Runner**




Size: 1200 * 800 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1 T
Static: 4 T

No. 717 **MR - 1208 Flat Double Deck**




Size: 1200 * 800 * 170 mm
Entry: Four-way
Loading Capacity: Dynamic: 1.5 T
Static: 5 T

No. 718 **MR - 1208 Double Deck**
(Steel reinforced)



Size: 1200 * 800 * 135 mm
Entry: Four-way
Loading Capacity: Dynamic: 1 T
Static: 4 T

No. 752 **MR - 1109 Flat Three Runner**




Size: 1100 * 900 * 170 mm
Entry: Four-way
Loading Capacity: Dynamic: 1 T
Static: 4 T

No. 777 **MR - 1109 Flat Double Deck**




Size: 1100 * 900 * 170 mm
Entry: Four-way
Loading Capacity: Dynamic: 1.5 T
Static: 5 T

No. 840 **MR - 1010 Reversible**




Size: 1000 * 1000 * 195 mm
Entry: Four-way
Loading Capacity: Dynamic: 2 T
Static: 6 T

No. 872 **MR - 1411 Reversible**




Size: 1400 * 1100 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1.5 T
Static: 6 T

No. 873 **MR - 1411 Reversible**




Size: 1400 * 1100 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1.5 T
Static: 6 T

No. 874 **MR - 1411D Reversible**
(Steel reinforced)



Size: 1400 * 1100 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1.5 T
Static: 6 T

No. 875 **MR - 1411D Reversible**
(Steel reinforced) (Welded)



Size: 1400 * 1100 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1.5 T
Static: 6 T

RACKING SERIES

No. 876 **MR - 1411B Reversible**

Size: 1400 * 1100 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 925 **MR - 1412D Reversible**
(Steel reinforced)

Size: 1400 * 1200 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 926 **MR - 1412 Reversible**

Size: 1400 * 1200 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 927 **MR - 1412 Reversible**

Size: 1400 * 1200 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 2 T

Static: 6 T

No. 928 **MR - 1412B Reversible**

Size: 1400 * 1200 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 949 **MR - 1414D Reversible**
(Steel reinforced)

Size: 1400 * 1400 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 971 **MR - 1513 Reversible**

Size: 1500 * 1300 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 5 T

No. 977 **MR - 1515 Reversible**
(Steel reinforced)

Size: 1500 * 1500 * 150 mm

Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 915 **MR - 1412D Three Runner**
(Steel reinforced)

Size: 1400 * 1200 * 160 mm

Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 5 T