



Specification of 1210 SOLID CRATE

Technical Parameters	
Product Name	1210 SOLID CRATE
Order Code	LK1210 SC
Dimensions	1200*1000*760mm
Weight	37.5KG
Material	HDPE
Color	GREY
Load capacity	Dynamic 1000kg, Static 4000kg, Rack 300kg
Lead Time	
Manufacturing Capacity	300 pcs per day
Delivery Time	EX. Factory within 15 days after PO confirmed
Packing Information	
Packing	N/A
Quantity in 20'GP	44pcs
Quantity in 40'GP	88pcs
Quantity in 40'HC	88pcs
Terms and Price Information	
Terms of Payment	L/C or T/T
Price Terms	FOB Shanghai or CIF
Picture	
 3D perspective view of a grey 1210 SOLID CRATE. The dimensions are labeled as follows: Top length is 1200mm, top width is 1000mm, and height is 760mm. The base has a 120mm gap. The bottom dimensions show the internal structure with 155mm, 372.5mm, and 145mm segments.	

Specification of 1210 SOLID CRATE WITH STEEL

Technical Parameters	
Product Name	1210 SOLID CRATE WITH STEEL
Order Code	LK1210 SC STEEL
Dimensions	1200*1000*760mm
Weight	41.0 KG with 4 steel in bottom runners
Material	HDPE
Color	GREY
Load capacity	Dynamic 1000kg,Static 4000kg, Rack 1000kg
Lead Time	
Manufacturing Capacity	300 pcs per day
Delivery Time	EX. Factory within 15 days after PO confirmed
Packing Information	
Packing	N/A
Quantity in 20'GP	44pcs
Quantity in 40'GP	88pcs
Quantity in 40'HC	88pcs
Terms and Price Information	
Terms of Payment	L/C or T/T
Price Terms	FOB Shanghai or CIF
Picture	
	

Specification of 1210 PERFORATED CRATE

Technical Parameters	
Product Name	1210 PERFORATED CRATE
Order Code	LK1210 PC
Dimensions	1200*1000*760mm
Weight	33.5kg not include lid
Material	HDPE
Color	GREY
Load capacity	Dynamic 1000kg, Static 4000kg, Rack 300kg
Lead Time	
Manufacturing Capacity	300 pcs per day
Delivery Time	EX. Factory within 15 days after PO confirmed
Packing Information	
Packing	N/A
Quantity in 20'GP	44pcs
Quantity in 40'GP	88pcs
Quantity in 40'HC	88pcs
Terms and Price Information	
Terms of Payment	L/C or T/T
Price Terms	FOB Shanghai or CIF
Picture	
