



STACKABLE SERIES

No. 32 **MS - 1210A Three Runner**




Size: 1200 * 1000 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1 T, Static: 4 T

No. 33 **MS - 1210B Three Runner**




Size: 1200 * 1000 * 170 mm
Entry: Four-way
Loading Capacity: Dynamic: 1.5 T, Static: 6 T

No. 34 **MS - 1210C Three Runner**




Size: 1200 * 1000 * 170 mm
Entry: Four-way
Loading Capacity: Dynamic: 1 T, Static: 4 T

No. 35 **MS - 1210D Three Runner**




Size: 1200 * 1000 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1 T, Static: 4 T

No. 36 **MS - 1210 Flat Three Runner**




Size: 1200 * 1000 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1.5 T, Static: 5 T

No. 79 **MS - 1210D Reversible**




Size: 1200 * 1000 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1 T, Static: 4 T

No. 80 **MS - 1210D Flat reversible**




Size: 1200 * 1000 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1 T, Static: 4 T

No. 81 **MS - 1210D Reversible**




Size: 1200 * 1000 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1 T, Static: 4 T

No. 122 **MS - 1210E Double Deck**




Size: 1200 * 1000 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1 T, Static: 4 T

No. 123 **MS - 1210D Double Deck (Welded)**




Size: 1200 * 1000 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1 T, Static: 4 T

No. 124 **MS - 1210D Flat Double Deck (Welded)**



Size: 1200 * 1000 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1 T, Static: 4 T

No. 125 **MS - 1210 Double Deck**



Size: 1200 * 1000 * 150 mm
Entry: Four-way
Loading Capacity: Dynamic: 1 T, Static: 4 T

STACKABLE SERIES

No. 126 **MS - 1210D Double Deck**

Size: 1200 * 1000 * 150 mm **Loading Capacity** Dynamic: 1 T
Static: 4 T
Entry: Four-way

No. 127 **MS - 1210C Double Deck**

Size: 1200 * 1000 * 125 mm **Loading Capacity** Dynamic: 0.5 T
Static: 2 T
Entry: Four-way

No. 141 **MS - 1210B Nine Footer**

Size: 1200 * 1000 * 155 mm **Loading Capacity** Dynamic: 1.5 T
Static: 6 T
Entry: Four-way

No. 142 **MS - 1210 Nine Footer**

Size: 1200 * 1000 * 140 mm **Loading Capacity** Dynamic: 1 T
Static: 4 T
Entry: Four-way

No. 143 **MS - 1210 Nine Footer**

Size: 1200 * 1000 * 150 mm **Loading Capacity** Dynamic: 1 T
Static: 4 T
Entry: Four-way

No. 144 **MS - 1210A Nine Footer**

Size: 1200 * 1000 * 110 / 140 / 120 mm **Loading Capacity** Dynamic: 1 T
Static: 4 T
Entry: Four-way

No. 145 **MS - 1210A Flat Nine Footer**

Size: 1200 * 1000 * 110 / 140 / 120 mm **Loading Capacity** Dynamic: 1 T
Static: 4 T
Entry: Four-way

No. 146 **MS - 1210 Nine Footer (Steel reinforced)**

Size: 1200 * 1000 * 140 mm **Loading Capacity** Dynamic: 1 T
Static: 4 T
Entry: Four-way

No. 147 **MS - 1210 Flat Nine Footer (Steel reinforced)**

Size: 1200 * 1000 * 140 mm **Loading Capacity** Dynamic: 1 T
Static: 4 T
Entry: Four-way

No. 196 **MS - 1111 Flat Three Runner**

Size: 1100 * 1100 * 150 mm **Loading Capacity** Dynamic: 1 T
Static: 4 T
Entry: Four-way

No. 197 **MS - 1111A Three Runner**


Size: 1100 * 1100 * 160 mm **Loading Capacity** Dynamic: 1 T
Static: 4 T
Entry: Four-way

No. 198 **MS - 1111D Three Runner**

Size: 1100 * 1100 * 150 mm **Loading Capacity** Dynamic: 1 T
Static: 4 T
Entry: Four-way

STACKABLE SERIES

No. 238MS - 1111D Reversible



Size: 1100 * 1100 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 239MS - 1111D Flat Reversible



Size: 1100 * 1100 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 240MS - 1111C Reversible



Size: 1100 * 1100 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 241MS - 1111C Flat Reversible



Size: 1100 * 1100 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 273MS - 1111D Flat Double Deck (Welded)



Size: 1100 * 1100 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 274MS - 1111 Double Deck (Welded)



Size: 1100 * 1100 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 275MS - 1111A Double Deck



Size: 1100 * 1100 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 276MS - 1111B Double Deck



Size: 1100 * 1100 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 277MS - 1111C Double Deck



Size: 1100 * 1100 * 125 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 2 T

No. 278MS - 1111D Double Deck



Size: 1100 * 1100 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 291MS - 1111 Nine Footer



Size: 1100 * 1100 * 140 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 292MS - 1111A Nine Footer



Size: 1100 * 1100 * 140 mm

Entry: Four-way


Loading Capacity

Dynamic: 1 T

Static: 4 T


STACKABLE SERIES

No. 293 **MS - 1111B Nine Footer**



Size: 1100 * 1100 * 155 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way	Static: 6 T	

No. 294 **MS - 1111A Flat Nine Footer**




Size: 1100 * 1100 * 160 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way	Static: 4 T	

No. 295 **MS - 1111B Flat Nine Footer**




Size: 1100 * 1100 * 145 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way	Static: 4 T	

No. 296 **MS - 1111C Flat Nine Footer**




Size: 1100 * 1100 * 140 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way	Static: 4 T	

No. 323 **MS - 1111D Three Runner**




Size: 1100 * 1100 * 150 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way	Static: 4 T	

No. 356 **MS - 1212 Flat Three Runner**




Size: 1200 * 1200 * 150 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way	Static: 4 T	

No. 357 **MS - 1212B Three Runner**




Size: 1200 * 1200 * 180 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way	Static: 6 T	

No. 358 **MS - 1212C Three Runner**




Size: 1200 * 1200 * 170 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way	Static: 4 T	

No. 359 **MS - 1212D Three Runner**




Size: 1200 * 1200 * 150 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way	Static: 4 T	

No. 393 **MS - 1212D Reversible**




Size: 1200 * 1200 * 150 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way	Static: 4 T	

No. 394 **MS - 1212D Reversible**



Size: 1200 * 1200 * 150 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way	Static: 4 T	


No. 395 **MS - 1212D Flat Reversible**



Size: 1200 * 1200 * 150 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way	Static: 4 T	


STACKABLE SERIES

No. 429 **MS - 1212B Double Deck**




Size: 1200 * 1200 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 430 **MS - 1212D Double Deck (Welded)**




Size: 1200 * 1200 * 150 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 431 **MS - 1212D Flat Double Deck (Welded)**




Size: 1200 * 1200 * 150 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 432 **MS - 1212D Double Deck**




Size: 1200 * 1200 * 150 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 447 **MS - 1212 Nine Footer (Steel reinforced)**




Size: 1200 * 1200 * 140 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 448 **MS - 1212 Flat Nine Footer (Steel reinforced)**




Size: 1200 * 1200 * 140 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 449 **MS - 1212 Nine Footer**




Size: 1200 * 1200 * 140 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 450 **MS - 1212B Nine Footer**




Size: 1200 * 1200 * 155 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 473 **MS - 12510B Three Runner**




Size: 1250 * 1000 * 150 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 474 **MS - 12510D Three Runner**




Size: 1250 * 1000 * 150 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 491 **MS - 1211D Three Runner**



Size: 1200 * 1100 * 150 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T


No. 492 **MS - 1211A Three Runner**



Size: 1200 * 1100 * 160 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T


STACKABLE SERIES

No. 528 **MS - 1211D Double Deck**




Size: 1200 * 1100 * 150 mm **Loading Capacity** Dynamic: 1 T Static: 4 T
Entry: Four-way

No. 560 **MS - 1311D Three Runner**




Size: 1300 * 1100 * 150 mm **Loading Capacity** Dynamic: 1 T Static: 4 T
Entry: Four-way

No. 561 **MS - 1311A Flat Welding Double Deck (Welded)**




Size: 1300 * 1100 * 150 mm **Loading Capacity** Dynamic: 1 T Static: 4 T
Entry: Four-way

No. 596 **MS - 1311D Reversible**




Size: 1300 * 1100 * 150 mm **Loading Capacity** Dynamic: 1 T Static: 4 T
Entry: Four-way

No. 597 **MS - 1311D Reversible**




Size: 1300 * 1100 * 150 mm **Loading Capacity** Dynamic: 1 T Static: 4 T
Entry: Four-way

No. 598 **MS - 1311D Flat Reversible**




Size: 1200 * 1200 * 140 mm **Loading Capacity** Dynamic: 1 T Static: 4 T
Entry: Four-way

No. 629 **MS - 1311D Double Deck (Welded)**




Size: 1300 * 1100 * 150 mm **Loading Capacity** Dynamic: 1 T Static: 4 T
Entry: Four-way

No. 630 **MS - 1311D Double Deck**




Size: 1300 * 1100 * 150 mm **Loading Capacity** Dynamic: 1 T Static: 4 T
Entry: Four-way

No. 631 **MS - 1311 Double Deck**




Size: 1300 * 1100 * 150 mm **Loading Capacity** Dynamic: 1 T Static: 4 T
Entry: Four-way

No. 632 **S - 1311D Flat Double Deck (Welded)**




Size: 1300 * 1100 * 150 mm **Loading Capacity** Dynamic: 1 T Static: 4 T
Entry: Four-way

No. 647 **S - 1311A Nine Footer**



Size: 1300 * 1100 * 140 mm **Loading Capacity** Dynamic: 1 T Static: 4 T
Entry: Four-way


No. 648 **MS - 1311A Flat Nine Footer**



Size: 1300 * 1100 * 140 mm **Loading Capacity** Dynamic: 1 T Static: 4 T
Entry: Four-way


STACKABLE SERIES

No. 649 **MS - 1311** **Nine Footer**




Size: 1300 * 1100 * 140 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 650 **MS - 1311B** **Nine Footer**




Size: 1300 * 1100 * 155 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 671 **MS - 1312D** **Three Runner**




Size: 1300 * 1200 * 160 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 729 **MS - 1208** **Double Deck**




Size: 1200 * 800 * 135 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 736 **MS - 1208A** **Nine Footer**




Size: 1200 * 800 * 140 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 737 **MS - 1208A** **Flat Nine Footer**




Size: 1200 * 800 * 140 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 738 **MS - 1208** **Nine Footer**




Size: 1200 * 800 * 160 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 739 **MS - 1208** **Flat Nine Footer**




Size: 1200 * 800 * 150 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 740 **MS - 12083** **Flat Nine Footer**




Size: 1200 * 830 * 175 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 765 **MS - 1109** **Reversible**




Size: 1100 * 920 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 5 T

No. 790 **MS - 1109** **Double Deck**



Size: 1100 * 920 * 155 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 5 T

No. 791 **MS - 1109** **Double Deck**



Size: 1100 * 920 * 155 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

STACKABLE SERIES

No. 798 **MS - 1109A Flat Nine Footer**

Size: 1100 * 900 * 160 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 799 **MS - 1109B Flat Nine Footer**

Size: 1100 * 900 * 145 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 816 **MS - 1108 Double Deck**

Size: 1100 * 800 * 155 mm	Loading Capacity	Dynamic: 2 T
Entry: Four-way		Static: 6 T

No. 817 **MS - 1108 Double Deck**

Size: 1100 * 800 * 155 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 818 **MS - 1108 Nine Footer**

Size: 1100 * 800 * 160 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 825 **MS - 1008 Nine Footer**

Size: 1100 * 800 * 160 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 831 **MS - 11083 Flat Double Deck**

Size: 1100 * 830 * 175 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 832 **MS - 11083 Flat Double Deck**

Size: 1100 * 830 * 175 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 833 **MS - 11083 Flat Nine Footer**

Size: 1100 * 830 * 140 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 846 **MS - 1010 Double Deck**

Size: 1000 * 1000 * 125 mm	Loading Capacity	Dynamic: 0.5 T
Entry: Four-way		Static: 2 T

No. 852 **MS - 1010 Nine Footer**


Size: 1000 * 1000 * 140 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 858 **MS - 75075 一体成型日子型**

Size: 755 * 755 * 150 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

STACKABLE SERIES

No. 890 **MS - 1411 Reversible**



Size: 1400 * 1100 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 891 **MS - 1411D Reversible**
(Welded)



Size: 1400 * 1100 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 897 **MS - 1411 Double Deck**



Size: 1400 * 1100 * 140 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 898 **MS - 1411 Double Deck**



Size: 1400 * 1100 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 903 **MS - 1411D Nine Footer**
(Steel reinforced)



Size: 1400 * 1100 * 140 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 904 **MS - 1411D Nine Footer**



Size: 1400 * 1100 * 140 mm


Entry: Four-way

Loading Capacity

Dynamic: 1.5 T

Static: 6 T

No. 905 **MS - 1411 Nine Footer**



Size: 1400 * 1100 * 140 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 911 **MS - 14583 Flat Fifteen Footer**



Size: 1450 * 830 * 175 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 6 T

No. 921 **MS - 1412D Three Runner**



Size: 1400 * 1200 * 160 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 933 **MS - 1412D Reversible**



Size: 1400 * 1200 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 939 **MS - 1412 Double Deck**



Size: 1400 * 1200 * 150 mm


Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

No. 944 **MS - 1412 Nine Footer**



Size: 1400 * 1200 * 140 mm

Entry: Four-way

Loading Capacity

Dynamic: 1 T

Static: 4 T

STACKABLE SERIES

No. 955 **MS - 1414 Reversible**

Size: 1400 * 1400 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 956 **MS - 1411D Welding Reversible**
(Welded)

Size: 1400 * 1400 * 150 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 957 **MS - 1414 Nine Footer**

Size: 1400 * 1400 * 140 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 958 **MS - 1414D Nine Footer**
(Steel reinforced)

Size: 1400 * 1400 * 140 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 959 **MS - 1414D Nine Footer**

Size: 1400 * 1400 * 140 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 966 **MS - 1511 Double Deck**

Size: 1500 * 1145 * 120 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 983 **MS - 1515 Reversible**

Size: 1500 * 1500 * 150 mm	Loading Capacity	Dynamic: 1.5 T
Entry: Four-way		Static: 6 T

No. 984 **MS - 1515 Reversible**

Size: 1500 * 1500 * 150 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 985 **MS - 1515 Reversible**

Size: 1500 * 1500 * 150 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 991 **MS - 1515 Nine Footer**

Size: 1500 * 1500 * 140 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 992 **MS - 1515 Nine Footer**

Size: 1500 * 1500 * 140 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T

No. 993 **MS - 1515 Nine Footer**

Size: 1500 * 1500 * 140 mm	Loading Capacity	Dynamic: 1 T
Entry: Four-way		Static: 4 T